

MULTI-PARAMETER POLYNOMIAL DYNAMICAL SYSTEMS: BIFURCATIONS AND BIOMEDICAL APPLICATIONS

Gaiko V.A.

United Institute of Informatics Problems, National Academy of Sciences of Belarus, Leonid
Beda Str. 6-4, Minsk 220040, Belarus, Phone: +375-29-7646662, E-mail:
valery.gaiko@gmail.com

We carry out a global bifurcation analysis of multi-parameter polynomial dynamical systems and consider their biomedical applications. To control all of the limit cycle bifurcations in such systems, especially, bifurcations of multiple limit cycles, it is necessary to know the properties and combine the effects of all their rotation parameters. It can be done by means of the development of new bifurcational geometric methods based on the well-known Weierstrass preparation theorem and the Perko planar termination principle stating that the maximal one-parameter family of multiple limit cycles terminates either at a singular point which is typically of the same multiplicity (cyclicity) or on a separatrix cycle which is also typically of the same multiplicity (cyclicity). This principle is a consequence of the principle of natural termination which was stated for higher-dimensional dynamical systems by A. Wintner who studied one-parameter families of periodic orbits of the restricted three-body problem and used Puiseux series to show that in the analytic case any one-parameter family of periodic orbits can be uniquely continued through any bifurcation except a period-doubling bifurcation. Such a bifurcation can happen, e. g., in a three-dimensional Lorenz system. But this cannot happen for planar systems. That is why the Wintner–Perko termination principle is applied for studying multiple limit cycle bifurcations of planar polynomial dynamical systems. If we do not know the cyclicity of the termination points, then, applying canonical systems with field rotation parameters, we use geometric properties of the spirals filling the interior and exterior domains of limit cycles. Applying this method, we have solved, e. g., Smale’s Thirteenth Problem for the classical Liénard system. Generalizing the obtained results, we have solved Hilbert’s Sixteenth Problem on the maximum number and distribution of limit cycles for the Kukles cubic-linear system and for the general Liénard polynomial system with an arbitrary number of singular points. We have completed the global qualitative analysis of Holling-type and Leslie–Gower systems which model the dynamics of the populations of predators and their prey in a given ecological or biomedical system. Finally, applying a similar approach, we consider various applications of 3D polynomial dynamical systems and, in particular, complete the strange attractor bifurcation scenario in the classical Lorenz system globally connecting the homoclinic, period-doubling, Andronov–Shilnikov, and period-halving bifurcations of its limit cycles. We also study the 3D Topp model for the dynamics of diabetes.